Yahoo! My Yahoo! Mail Welcome, **Guest** [Sign In]

Search Home Help

ZAFOO SEARCH a predicted decoding method for decoding a bit stream data c Search

Web Images Video Directory Local News Shopping

My Web BETA

Search Services

Advanced Search

Preferences

Search Results 1 - 6 of about 8 for a predicted decoding method f

1. Patent 5956088: Method and apparatus for modifying encoded digital video for improved chan ... bit-rate(VBR) encoding. VBR encoding ... function of image complexity ... method (and all transmitting a stream ...

www.freepatentsonline.com/5956088.html - More from this site - Save - Biock

- 2. <a href="http://www.cs.luc.edu/~rig/home/bin/engstat/mail.wf">http://www.cs.luc.edu/~rig/home/bin/engstat/mail.wf</a> 电 the 44894 to 24983 of 20910 and 17502 a 17292 i 16669 in 14716 is 13242 that 11279 for 10 4896 with 4776 will 4696 but 4617 or 4338 as 4324 from 4139 by 4115 at 3757 ... www.cs.luc.edu/~rig/home/bin/engstat/mail.wf - 160k - Cached - More from this site - Save - Bi
- 3. <a href="http://www.seattlecentral.org/faculty/flepeint/java143/hw5/WordList140k.txt">http://www.seattlecentral.org/faculty/flepeint/java143/hw5/WordList140k.txt</a> a aardvark aardvark's abandon abandoned abandoning abandons abbreviate abbreviated abbreviated ability's able abnormal abnormally abolish ... biscuits bishop bishop's bit bite bites biting bitmar decode decoded decodes decoding decrease decreased decreases ... www.seattlecentral.org/faculty/flepeint/java143/hw5/WordList140k.txt - 135k - Cached - More fr
- 4. Programmable interrupt controller with interrupt set/reset register and dynamically alterable inter ... respectively. The audio data trains are decoded by means of ... media, and the method fo data to the ...

www.patentstorm.us/patents/6263396.html - More from this site - Save - Block

5. EP1229740 Matsushita european software patent - Method and device for digital image encor ... data for storing or transmitting thereof, more specifically, a method of encoding and decor compressed data ...

gauss.ffii.org/PatentView/EP1229740 - More from this site - Save - Block

6. EP966161 Sony european software patent - Apparatus and method for video encoding and c ... picture encoding method, a picture decoding apparatus ... a predicted picture ... be notec a decoding ...

gauss.ffii.org/PatentView/EP966161 - More from this site - Save - Block

In order to show you the most relevant results, we have omitted some entries very similar to the one If you like, you can repeat the search with the omitted results included.

Web Images Video Directory Local News Shopping Your Search: a predicted decoding method for decoding a bit stream data c Search

Search from any page on the Web with Yahoo! Toolbar. It's free



Home | Login | Logout | Access Informat Alerts | Sitemap |

Welcome United States Patent and Trademark Office

IEEE YDI ORE

| <b>Search</b> €     | Results  |               | BRO   | WSE  | SEARCH  | IEEE XPLORE GUIDE  | SUPP              |
|---------------------|--|---------------|---|--|---|--|-------------------|
| Your sea<br>A maxim | for <b>"( decoding<ar< b=""><br/>arch matched <b>5</b> of 1<br/>oum of <b>100</b> results a<br/><b>ding</b> order.</ar<></b> | 1239820       | documents.  |  |   | · ·  | ☑ e-mail 🚞 prints |
| » Search            | Options  |               |   |  |   |  |                   |
| View Se             | ssion History  | Mod           | ify Search  |  |   |  |                   |
| New Sea             | arch   | (deco         | ding <and>extr</and>  | acting ) <a< td=""><td>nd&gt;coordinate p</td><td>point</td><td></td></a<> | nd>coordinate p   | point  |                   |
| 1843                | IEEE Journal or<br>Magazine  | Disp<br>Forma | llay e C  | Citation •   | vithin this resu  |  |                   |
|                     | IEE Journal or<br>Magazine   |               | mobile sys  | us wirel<br>stem   |   | cation on a port   | able cellula      |
| CNF                 | IEEE<br>Conference<br>Proceeding   |               | Computers Volume 53 Digital Obje  | y vvang;<br>s, IEEE<br>, Issue<br>ect Ideni                                | Fransactions of 10, Oct. 2004<br>ifier 10.1109/                                   | on<br>4 Page(s):1317 -<br>TC.2004.70   | 1329              |
| CNF                 | IEE<br>Conference<br>Proceeding  | 2             | . A pyramid   | vector   | •   | Text: PDF(728 K  | B) IEEE J         |
| STD                 | IEEE Standard  |               | Volume 32   | Theory<br>, Issue  |   | actions on<br>Page(s):568 - 583<br>84 KB) IEEE J                                   |                   |
|                     |  | <u> </u>      | Jiang, J.; E<br>Image Prod<br>Volume 11<br>Digital Obje                         | dirisinght<br>cessing,<br>, Issue<br>ect Ident                             | ne, E.A.;<br>IEEE Transa<br>2, Feb. 2002<br>ifier 10.1109/                        | ate coding of ste<br>ctions on<br>Page(s):123 - 13<br>83.982820<br>Text: PDF(216 K | 34                |
|                     | ,  | n 4           | . Advanced<br>scene des<br>Vaananen,<br>Multimedia<br>Volume 6,<br>Digital Obje | AudioE<br>cription<br>R., Huc<br>, IEEE T<br>Issue 5<br>ect Ident          | BIFS: virtual a<br>paniemi, J.;<br>ransactions o<br>Oct. 2004 P<br>ifier 10.1109/ | acoustics model<br>on<br>Page(s):661 - 675<br>TMM.2004.83486<br>Text: PDF(760 K    | ling in MPE       |
|                     |  | _             |   |  |   |  |                   |

Morse description and geometric encoding of digital elev

maps
Sole, A.; Caselles, V.; Sapiro, G.; Arandiga, F.;
Image Processing, IEEE Transactions on
Volume 13, Issue 9, Sept. 2004 Page(s):1245 - 1262

Digital Object Identifier 10.1109/TIP.2004.832864 AbstractPlus | References | Full Text: PDF(2376 KB) IEEE



indexed by #Inspec\* Help Contact Us Priv Security IEE © Copyright 2005 IEE Rights Res



Day: Wednesday Date: 9/28/2005 Time: 12:13:22

## **Inventor Name Search Result**

Your Search was:

Last Name = BOON

First Name = CHOONG SENG

| Application#    | Patent#        | Status | Date Filed | Title   | Inventor Name        |
|-----------------|----------------|--------|------------|---|----------------------|
| 08818662        | 6067320        | 150    | 03/14/1997 | METHOD AND APPARATUS FOR<br>ENCODING AND DECODING<br>IMAGES   | BOON, CHOONG<br>SENG |
| 08886128        | Not<br>Issued  | 161    |            | IMAGE CODING APPARATUS, IMAGE DECODING APPARATUS IMAGE CODING METHOD IMAGE DECODING METHOD IMAGE CODING PROGRAM RECORDING MEDIA IMAGE DECODING PROGRAM RECORDIA | BOON, CHOONG<br>SENG |
| <u>08956372</u> | 6078694        | 150    |            | IMAGE SIGNAL PADDING<br>METHOD, IMAGE SIGNAL CODING<br>APARATUS, IMAGE SIGNAL<br>DECODING APPARATUS   | BOON, CHOONG<br>SENG |
| 08983640        | 6148109        | 150    |            | IMAGE PREDICTIVE CODING<br>METHOD   | BOON, CHOONG<br>SENG |
| <u>09015055</u> | 6167158        | 150    | 1          | OBJECT-BASED DIGITAL IMAGE<br>PREDICTION METHOD   | BOON, CHOONG<br>SENG |
| <u>09015056</u> | <u>5969765</u> | 150    |            | OBJECT-BASED DIGITAL IMAGE<br>PREDICTIVE CODING TRANSFER<br>METHOD AND APPARATUS, AND<br>DECODING APPARATUS   | BOON, CHOONG<br>SENG |
| <u>09015058</u> | 5999219        | 150    |            | OBJECT-BASED DIGITAL IMAGE<br>PREDICTIVE CODING TRANSFER<br>METHOD AND APPARATUS, AND<br>DECODING APPARATUS   | BOON, CHOONG<br>SENG |
| 09018394        | 6351565        | 150    |            | DATA STRUCTURE FOR IMAGE TRANSMISSION, METHOD OF IMAGE TRANSMISSION, IMAGE DECODING APPARATUS, AND DATA RECORDING MEDIA   | BOON, CHOONG<br>SENG |
| 09051262        | Not<br>Issued  | 168    |            | METHOD AND DEVICE FOR<br>ENCODING/DECODING A DIGITAL<br>IMAGE   | BOON, CHOONG<br>SENG |
| ı 1             | l              | I.     | 1          | 1   |                      |

| <u>09054503</u>   | 6370276       | 150 | 11         | IMAGE PREDICTIVE DECODING METHOD, IMAGE PREDICTIVE DECODING APPARATUS, IMAGE PREDICTIVE CODING METHOD, IMAGE PREDICTIVE CODING APPARATUS, AND DATA STORAGE MEDIA | BOON, CHOONG<br>SENG |
|-------------------|---------------|-----|------------|--|----------------------|
| 09091984          | 6154570       | 150 | 08/11/1998 | METHOD AND APPARATUS FOR<br>DIGITAL IMAGE CODING AND<br>DECODING, AND DATA<br>RECORDING MEDIA  | BOON, CHOONG<br>SENG |
| 09091985          | 6345123       | 150 |            | IMAGE ENCODING/DECODING<br>METHOD, IMAGE<br>ENCODER/DECODER AND IMAGE<br>ENCODING/DECODING PROGRAM<br>RECORDING MEDIUM   | BOON, CHOONG<br>SENG |
| <u>09109896</u>   | 6359929       | 150 | 07/02/1998 | IMAGE PREDICTIVE DECODING<br>METHOD, IMAGE PREDICTIVE<br>DECODING APPARATUS, IMAGE<br>PREDICTIVE CODING<br>APPARATUS, AND DATA<br>STORAGE MEDIUM                 | BOON, CHOONG<br>SENG |
| 09110458          | 6466697       | 150 | 07/07/1998 | DATA STRUCTURE FOR IMAGE<br>TRANSMISSION, IMAGE CODING<br>METHOD, AND IMAGE DECODING<br>METHOD   | BOON, CHOONG<br>SENG |
| 09113140          | 6516094       | 150 | 07/10/1998 | DIGITAL IMAGE CODING<br>METHOD AND DIGITAL IMAGE<br>DECODING METHOD  | BOON, CHOONG<br>SENG |
| <u>09117118</u>   | 6415056       | 150 |            | DIGITAL IMAGE ENCODING AND<br>DECODING METHOD AND<br>DIGITAL IMAGE ENCODING AND<br>DECODING DEVICE USING THE<br>SAME   | BOON, CHOONG<br>SENG |
| <u>09117349</u>   | 6577771       | 150 | 07/29/1998 | METHOD FOR SUPPLEMENTING<br>DIGITAL IMAGE WITH PICTURE<br>ELEMENT, AND DIGITAL IMAGE<br>ENCODER AND DECODER USING<br>THE SAME                                    | BOON, CHOONG<br>SENG |
| 09118991          | 6426975       | 150 | 07/20/1998 | IMAGE PROCESSING METHOD,<br>IMAGE PROCESSING APPARATUS<br>AND DATA RECORDING MEDIUM  | BOON, CHOONG<br>SENG |
| <u>09155398</u>   | Not<br>Issued | 41  |            | DIGITAL IMAGE REPLENISHMENT<br>METHOD, IMAGE PROCESSING<br>DEVICE AND DATA RECORDING<br>MEDIUM   | BOON, CHOONG<br>SENG |
| <u>09160115</u> . | 6360014       | 150 | 09/24/1998 | IMAGE DECODING METHOD,   | BOON, CHOONG         |

|                 |               |     |            | IMAGE DECODING APPARATUS,<br>AND DATA RECORDING MEDIUM   | SENG                 |
|-----------------|---------------|-----|------------|--|----------------------|
| 09176953        | 6654541       | 150 |            | IMAGE CODING METHOD, AND<br>IMAGE DECODING METHOD  | BOON, CHOONG<br>SENG |
| 09203529        | Not<br>Issued | 161 | 12/01/1998 | IMAGE PROCESSING METHOD,<br>IMAGE PROCESSING APPARATUS,<br>AND DATA STORAGE MEDIA  | BOON, CHOONG<br>SENG |
| 09214556        | 6865338       | 150 | 01/04/1999 | METHOD OF ENCODING IMAGE INFORMATION, ITS ENCODER, ITS DECODING/ SYNTHESIZING METHOD, ITS DECODER/SYNTHESIZER AND RECORDING MEDIUM ON WHICH THOSE METHODS ARE RECORDED | BOON, CHOONG<br>SENG |
| <u>09241886</u> | 6483521       | 150 | 02/01/1999 | IMAGE COMPOSITION METHOD,<br>IMAGE COMPOSITION<br>APPARATUS, AND DATA<br>RECORDING MEDIA   | BOON, CHOONG<br>SENG |
| 09283982        | 6259734       | 150 | 04/02/1999 | IMAGE PROCESSING METHOD,<br>IMAGE PROCESSING APPARATUS,<br>AND DATA STORAGE MEDIA  | BOON, CHOONG<br>SENG |
| 09321552        | 6233279       | 150 | 05/28/1999 | IMAGE PROCESSING METHOD,<br>IMAGE PROCESSING APPARATUS,<br>AND DATA STORAGE MEDIA  | BOON, CHOONG<br>SENG |
| 09370244        | 6426974       | 150 | 08/09/1999 | IMAGE CONVERSION APPARATUS   | BOON, CHOONG<br>SENG |
| 09381688        | 6418268       | 150 |            | IMAGE PROCESSING METHOD<br>FOR DECODING COMPRESSED<br>IMAGE DATA   | BOON, CHOONG<br>SENG |
| <u>09634762</u> | 6459813       | 150 | 08/08/2000 | Image predictive decoding method, image predictive decoding apparatus, image predictive coding method, image predictive coding apparatus, and data storage media       | BOON, CHOONG<br>SENG |
| <u>09680956</u> | 6404929       | 150 |            | IMAGE CODING AND DECODING METHODS, IMAGE CODING AND DECODING APPARATUSES, AND RECORDING MEDIA FOR IMAGE CODING AND DECODING PROGRAMS                                   | BOON, CHOONG<br>SENG |
| <u>09739969</u> | 6411739       | 150 |            | IMAGE CODING AND DECODING<br>METHODS, IMAGE CODING AND<br>DECODING APPARATUSES, AND<br>RECORDING MEDIA FOR IMAGE<br>CODING AND DECODING                                | BOON, CHOONG<br>SENG |

|          |               |     | PROGRAMS   |                      |
|----------|---------------|-----|--|----------------------|
| 09752456 | 6665445       | 150 | DATA STRUCTURE FOR IMAGE<br>TRANSMISSION, IMAGE CODING<br>METHOD, AND IMAGE DECODING<br>METHOD | BOON, CHOONG<br>SENG |
| 09752521 | 6751357       | 150 | DATA STRUCTURE FOR IMAGE<br>TRANSMISSION, IMAGE CODING<br>METHOD, AND IMAGE DECODING<br>METHOD | BOON, CHOONG<br>SENG |
| 10682849 | Not<br>Issued | 61  | Image processing method, image processing apparatus and data recording medium                  | BOON, CHOONG<br>SENG |

Inventor Search Completed: No Records to Display.

|                   | Last Name | First Name         |   |
|-------------------|-----------|--------------------|---|
| Search Another: I | nventor   |                    | 1 |
|                   | boon      | choong seng Search | ĺ |
|                   | boon      | choong seng Search | 1 |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

| Ref<br># | Hits | Search Query  | DBs                            | Default<br>Operator | Plurals | Time Stamp       |
|----------|------|---|--------------------------------|---------------------|---------|------------------|
| L1       | 3    | ("6415056" or "6771826"),pn.  | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:58 |
| L2       | 4    | ("5473379" or "5592228").pn.  | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:16 |
| L3       | 0    | 2 and (predict44 near decod\$4)                                     | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:16 |
| L4       | 1    | 2 and (predict\$4 near decod\$4)                                    | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:18 |
| L5       | 0    | 4 and (coordinate adj point)  | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:17 |
| L6       | 1    | 4 and extract\$4  | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:19 |
| L7       | 0    | extract\$4 with point with frame with compressed with coordinate    | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:19 |
| L8       | 0    | extract\$4 with (coordinate near point) with compressed             | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:20 |
| L9       | 319  | extract\$4 with (coordinate near point)                             | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:20 |
| L10      | 0    | 9 and (predict\$4 near decod\$4)                                    | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:20 |
| L11      | 1    | 9 and (predict\$4 with decod\$4)                                    | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:21 |
| L12      | 1    | 11 and (compress\$4 or encod\$4)                                    | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:21 |
| L13      | 1    | 12 and transform\$4   | USPAT;<br>DERWENT              | OR                  | ON      | 2005/09/28 11:22 |
| L14      | 0    | Ca2062965.pn.   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/09/28 11:25 |
| L15      | 7    | "2062965".pn.   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/09/28 11:29 |
| L16      | 2    | "3049373".pn.   | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/09/28 11:30 |
| L19      | 0    | extract\$4 with (coordinate with point with number with compressed) | EPO; JPO                       | OR                  | ON      | 2005/09/28 12:04 |
| L20      | 0    | extract\$4 with (coordinate with number with compressed)            | EPO; JPO                       | OR                  | ON      | 2005/09/28 12:04 |
| L21      | 4    | extract\$4 with (coordinate with number with compressed)            | USPAT;<br>EPO; JPO;<br>DERWENT | OR                  | ON      | 2005/09/28 12:05 |

| L22 | 3      | 21 and point   | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:05 |
|-----|--------|--|--------------------------------|----|----|------------------|
| L23 | 1      | 22 and transform\$4  | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:05 |
| L24 | 1      | 23 and reproduc\$4   | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:06 |
| L26 | 109102 | "382"/("233" or "232" or "238" or<br>"235" or "293").ccls.   | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:09 |
| L27 | 3      | 26 and (extract\$4 with coordinate with number with compressed)  | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:11 |
| L28 | 1      | 27 and transform\$4  | USPAT;<br>EPO; JPO;<br>DERWENT | OR | ON | 2005/09/28 12:09 |
| L29 | 1      | extract\$4 with coordinate with point with number with compressed  | US-PGPUB                       | OR | ON | 2005/09/28 12:14 |
| L30 | 50     | ("6067320" or "6078694" or "6148109" or "6167158" or "5969765" or "5999219" or "6351565" or "6370276" or "6154570" or "6359929" or "6466697" or "6516094" or "6415056" or "6577771" or "6426975" or "6360014" or "6654541" or "6865338" or "6483521" or "6259734" or "6233279" or "6426974" or "6148268" or "6459813" or "6404929" or "6411739" or "6665445" or "6751357").pn. | USPAT;<br>DERWENT              | OR | ON | 2005/09/28 12:18 |
| L31 | 12     | 30 and (predict\$4 near decod\$4)  | USPAT;<br>DERWENT              | OR | ON | 2005/09/28 12:32 |
| L32 | 1      | 31 and (extract\$4 with coordinate)  | USPAT;<br>DERWENT              | OR | ON | 2005/09/28 12:33 |

|   | ם | 1 | Do | ocument | ID  | Issue  | Date | Pages |
|---|---|---|----|---------|-----|--------|------|-------|
| 1 |   |   | US | 5995116 | 5 A | 199911 | .30  | 18    |
| 2 |   |   | US | 5572605 | 5 A | 199611 | .05  | 77    |
| 3 |   |   | US | 4853885 | 5 A | 198908 | 01   | 20    |

|   | Title  | Current OR | Current XRef                    |
|---|--|------------|---------------------------------|
| 1 | High definition graphic<br>display apparatus   | 345/441    | 382/232;<br>382/245             |
| 2 | Apparatus and method for inputting, compressing and outputting characters, illustrations, drawings and logomarks | 382/241    | 358/1.9;<br>382/242;<br>382/243 |
| 3 | Method of compressing character or pictorial image data using curve approximation                                | 708/270    | 708/290                         |

|   | Retrieval<br>Classif | Inventor             | S | С | P | 2 | 3 | 4 | 5 |
|---|----------------------|----------------------|---|---|---|---|---|---|---|
| 1 |                      | Fujimura; Kazuya     | X |   |   |   |   |   |   |
| 2 |                      | Toraichi; Kazuo      | X |   |   |   |   |   |   |
| 3 |                      | Naoi; Satoshi et al. | х |   |   |   |   |   |   |

|   | Image Doc.<br>Displayed | PT |
|---|-------------------------|----|
| 1 | US 5995116              |    |
| 2 | US 5572605              |    |
| 3 | US 4853885              |    |

|   | Ū | 1 | Document ID  | Issue Date | Pages |
|---|---|---|--------------|------------|-------|
| 1 |   |   | US 5572605 A | 19961105   | 77    |

|   | Title  | Current OR | Current XRef                    |
|---|--|------------|---------------------------------|
| 1 | Apparatus and method for inputting, compressing and outputting characters, illustrations, drawings and logomarks | 382/241    | 358/1.9;<br>382/242;<br>382/243 |

|   | Retrieval<br>Classif | Inventor        | S | С | P | 2 | 3 | 4 | 5 |
|---|----------------------|-----------------|---|---|---|---|---|---|---|
| 1 |                      | Toraichi; Kazuo | X |   |   |   |   |   |   |

|   | Image Doc.<br>Displayed | PT |
|---|-------------------------|----|
| 1 | US 5572605              |    |

|   | บ | 1 | Document   | ID | Issue Date | Pages |
|---|---|---|------------|----|------------|-------|
| 1 |   |   | US 4951140 | A  | 19900821   | 54    |

|   | Title                    | Current OR | Current | XRef |
|---|--------------------------|------------|---------|------|
| 1 | Image encoding apparatus | 348/413.1  |         |      |

|   | Retrieval<br>Classif | Inventor                 | s | С | P | 2 | 3 | 4 | 5 |
|---|----------------------|--------------------------|---|---|---|---|---|---|---|
| 1 |                      | Ueno; Hideyuki et<br>al. | X |   |   |   |   |   |   |

|   | Image Doc.<br>Displayed | PT |
|---|-------------------------|----|
| 1 | US 4951140              |    |